

## VALVES WITH MORE THAN THREE GRIDS

Title	Cath	Vh	Ih	Va Max.	Ia	Vg2 Max.	G.C.	Ra	Base	Description	PIN CONNECTIONS									
											1	2	3	4	5	6	7	8	TC	
1280	I.H	6.3	0.30	250		150	0.31		0	Heptode Mixer	-	H	A	G2G4	G3	-	H	CG5	G1	
1347	I.H	6.3	0.30	150 300	2.2	100	0.65		0	Triode Hexode	m	H	A	G2G4	G3	G1	A1	H	G	G1
1410	D.H	2.0	0.23	100 155	4.0 0.90	60	0.43	0.6M	B7	Triode Hexode	A1	G1	G5	G2G4	F	F	m	A		G1
1411	I.H	4.0	1.30	150 250	4.0 3.0	250	0.87	1.2M	M0	Triode Heptode	H	C	A		A1	G1	m	G2	H	G1
1424	I.H	4.0	1.20	150 250	2.3 2.2	80	0.65		B7	Triode Hexode	A1	G1	G2G4	H	H	C	A		G1	
1426	I.H	6.3	0.2	250	1.0	200	0.55		S.C.	Octode	H	m	A	G3G5	G1	G2	CG6	H	G4	
1460	I.H	4.0	1.2	150 250		80	0.64		B7	Triode Hexode	A1	G1	G5	G2G4	H	H	C	A		G1
1570	I.H	6.3	0.20	300	1.0	225	0.55	2.0M	0	Octode	m	H	A	G3G5	G1	G2	H	CG6	G4	
1581	I.H	6.3	0.3	100 300	3.0	200	0.65		0	Triode-Hexode	-	H	A	G2G4	G3	G1	A1	H	C	G1
1697	I.H	4.0	1.2	150 250		80	0.64		B7	Triode-Hexode	A1	G1	G5	G2G4	H	H	C	A		G1
1800	D.H	1.4	0.05	100	0.7	100	0.26		0	Heptode	-	F	A	G3G5	G1	G2	F	-	G4	
1802	D.H	1.4	0.05	100	0.7	100	0.27		0	Heptode	S	F	A	G3G5	G1	G2	F	-	G4	
1870	I.H	6.3	0.50	330	3.6	220	0.54		USB7	Heptode	H	A	G3G5	G2	G1	C	H		G4	
1902	I.H	6.3	0.15	330	4.1	220	0.54		0	Heptode	-	H	A	G3G5	G1	G2	H	C	G4	
1944	I.H	6.3	0.30	125 300	3.5 2.5	150	0.35	0.6M	0	Triode-Hexode	-	H	A	G2G4	G1	A1	H	C	G1	